



SPECIAL SIZES AVAILABLE!


Contact Stockton Custom Fabrication at (877) 786-2587

METAL

OWC: Offset Water-Resistant Expansion Channel - 2 Piece

- Special Sizes Available, Contact Customer Service For Details
 - Superior™ Moisture Protection
 - Available With 1/8" Weep Holes or No Holes
 - SolidGround® Design For Moisture Protection
 - Available in Aluminum (A), Copper (C), Galvanized Steel (GS), Bonderized (BN), Galvalume® (GVM), Stainless Steel (SS) or Zinc (Z)
- (See Our Materials Guide For Details, Page 40)

The OWC is the same as the EWC except that it offers two leg lengths for situations where 2 dissimilar depths come together. Special "Step" on the attachment leg provides a locator for correct placement of the fasteners and helps keep the molding laying flat on the wall.




Most Common Sizes

- X Sizes:** 5/8", 3/4", 7/8", 1", 1 1/4", 1 3/8" or 1 1/2"
- Y Sizes:** 1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 3", 3 1/2" or 4"
- Z Sizes:** 1/2", 5/8", 3/4", 7/8", 1", 1 1/4", 1 3/8" or 1 1/2"
- Length:** 120"



Most Common Part Numbers:

- OWC078W012 114** OWC: X=7/8, 1/8 Weep Hole, Y=1/2, Z= 1 1/4, GS, 10'
- OWC078W034 112** OWC: X=7/8, 1/8 Weep Hole, Y=3/4, Z= 1 1/2, GS, 10'




OWS: Offset Weep Screed

- Special Sizes Available, Contact Customer Service For Details
 - Superior™ Moisture Protection
 - Available With 1/2" Weep Holes or No Weep Holes
 - Available Curved Upon Request
 - Available in Aluminum (A), Copper (C), Galvanized Steel (GS), Bonderized (BN), Galvalume® (GVM), Stainless Steel (SS) or Zinc (Z)
- (See Our Materials Guide For Details, Page 40)

A special weep screed for those conditions where the sheer wall exceeds the foundation in plane. This special design permits the bottom leg of the weep screed to return back to the foundation.

Most Common Sizes

- X Sizes:** 1/2", 3/4", 7/8", 1", 1 3/8" or 1 1/2"
- Y Sizes:** 3 1/2", 4", 4 1/2" or 5"
- Z Sizes:** 1", 1 1/4", 1 3/8", 1 1/2" or 2"
- Length:** 120"



Most Common Part Numbers:

- OWS078W312 138L** OWS: X=7/8, 1/2 Weep Hole, Y=3 1/2, Z=1 3/8, GS, 10'
- OWS138W312 158L** OWS: X=1 3/8, 1/2 Weep Hole, Y=3 1/2, Z=1 5/8, GS, 10'
- OWS138W312 200L** OWS: X=1 3/8, 1/2 Weep Hole, Y=3 1/2, Z=2, GS, 10'
- OWS138W334 200L** OWS: X=1 3/8, 1/2 Weep Hole, Y=3 3/4, Z=2, GS, 10'